Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(analys\$3 with machine) and (sensor with measur\$6 with point ) and (monitor\$3 with function) and (register with program with memory) and (account with memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/09 18:17
L2	6	(analys\$3 with machine) and (sensor with measur\$6 with point ) and (monitor\$3 with function) and (program with memory) and (account with memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/09 18:18
L3	6	(analys\$3 with machine) and (sensor with measur\$6 with point ) and (program with memory) and (account with memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/09 18:18
L4	20	(analys\$3 with machine) and (monitor\$3 with function) and (program with memory) and (account with memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/09 18:19
L5	1	(analys\$3 with machine) and (monitor\$3 with function) and ((program with memory) same (account adj value))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/09 18:21
L6	0	(analys\$3 with condition with machine) and ((program with memory) same (account adj value))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/09 18:21
L7	0	(analys\$3 with condition with machine) and (memory same (account adj value)) and (compar\$3 with register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/09 18:23
L8	1	(analys\$3 with condition with machine) and (memory same (account adj value)) and (compar\$3 with register\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/09 18:25

			·		·	
L9	0	(analys\$3 with condition with machine) and (unlock with state) and (clock with state) and (condition with monitor\$3 with function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/09 18:26
L10	6	(analys\$3 with condition with machine) and (unlock\$3 with state) and (lock\$3 with state) and (condition with monitor\$3 with function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/09 18:26
S1		10/893292	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 11:16
S2	49	("3848112" "3913084" "4121574"  "4280185" "4408285" "4426641"  "4520674" "4530240" "4550311"  "4559828" "4612620" "4615216"  "4621263" "4669315" "4721849"  "4768380" "4800512" "4827771"  "4885707" "5162725" "5191327"  "5206818" "5251151" "5257208"  "5319962" "5335186" "5377128"  "5379643" "5430663" "5479359"  "5517183" "5530343" "5533413"  "5544073" "5555457" "5579241"  "5584796" "5586305" "5663811"  "5808903" "5992237" "6006164"  "6078874" "6202491" "6208944"  "6499349").PN.	USPAT	OR	ON	2006/03/04 17:32
<b>S3</b>	2	("6725723" "6499349").pn.	USPAT	OR	ON	2005/10/25 17:12
S4	2	09/214291	US-PGPUB; USPAT	OR	ON	2005/10/25 17:12
S5	21	(analys\$3 with condition with machine) same (rotat\$3 with shaft)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/09 15:33
S6	8	S5 and (sens\$3 with measur\$6 with point with machine) and (process\$3 with condition with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 18:53

	,	,	,,			
S7	8	S6 and (monitor\$3 with function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 17:16
S8	5	S7 and (logger with register\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/10/25 17:17
S9	21	(analys\$3 with condition with machine) same (rotat\$3 with shaft)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 17:29
S10	8	S9 and (sens\$3 with measur\$6 with point with machine) and (process\$3 with condition with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 17:29
S11	8	S10 and (monitor\$3 with function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 17:29
S12	1	(analys\$3 with condition with machine) and client and supplier and (evaluat\$3 with condition) and (control\$4 with evaluat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 09:42
<b>S13</b>	16	(analys\$3 with condition with machine) and (evaluat\$3 with condition) and (control\$4 with evaluat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 16:47
S14	43	("702"/\$.ccls. "73"/\$.ccls.) and (analys\$3 with condition with machine) and (measur\$6 with data) and (measur\$6 with point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 14:28

S15	31	S14 and (data with processing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 09:44
S16	11	S15 and (condition with function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 09:45
S17	5	S16 and logger	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 09:45
S18	49	("3848112" "3913084" "4121574"  "4280185" "4408285" "4426641"  "4520674" "4530240" "4550311"  "4559828" "4612620" "4615216"  "4621263" "4669315" "4721849"  "4768380" "4800512" "4827771"  "4885707" "5162725" "5191327"  "5206818" "5251151" "5257208"  "5319962" "5335186" "5377128"  "5379643" "5430663" "5479359"  "5501105" "5511422" "5515266"  "5517183" "5530343" "55333413"  "5544073" "5555457" "5579241"  "5584796" "5586305" "5663811"  "5808903" "5992237" "6006164"  "6078874" "6202491" "6208944"  "6499349").PN.	US-PGPUB; USPAT	OR	ON	2006/03/01 14:29
S19	2	S18 and (analys\$3 with condition with machine) and (measur\$6 with data) and (measur\$6 with point) and (data with processing) and (condition with function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/01 14:29
S22	2	WO-9801831-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 11:18

S23	1	(analys\$3 with condition with machine) and (evaluat\$3 with condition) and (control\$4 with evaluat\$3) and (gate with array with circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/03/02 16:01
S24	7	(analys\$3 with condition with machine) same (rotat\$3 with shaft) and (gate with array with circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 16:05
S25	12	(analys\$3 with condition with machine) and (gate with array with circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 16:09
S26	38	(condition with machine) and shaft and (gate with array with circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 16:09
S27	26	(condition with machine) and (rotat\$4 with shaft) and (gate with array with circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 16:11
S28	19	(condition with machine) and (rotat\$4 with shaft) and (Field with gate with array with circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 16:11
S29	5	(analys\$3 with machine) and (key with reception) and (condition with monitoring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 16:48
S30	23	(analys\$3 with machine) and (key with reception)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 16:48

S31	22	(analys\$3 with condition with machine) same (rotat\$3 with shaft)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 18:14
S32	8	S31 and (sens\$3 with measur\$6 with point with machine) and (process\$3 with condition with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 18:10
S33	8	S32 and (monitor\$3 with function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 18:09
S34	8	S31 and (measur\$6 with point ) and (process\$3 with condition with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 17:24
S35	8	S31 and (measur\$6 with point ) and (process\$3 with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 18:13
S36	10	S31 and (measur\$6 with point )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 18:12

(

	,	Y	,			
S37	49	("3848112" "3913084" "4121574"  "4280185" "4408285" "4426641"  "4520674" "4530240" "4550311"  "4559828" "4612620" "4615216"  "4621263" "4669315" "4721849"  "4768380" "4800512" "4827771"  "4885707" "5162725" "5191327"  "5206818" "5251151" "5257208"  "5319962" "5335186" "5377128"  "5379643" "5430663" "5479359"  "5501105" "5511422" "5515266"  "5517183" "5530343" "5533413"  "5544073" "5555457" "5579241"  "5584796" "5586305" "5663811"  "5808903" "5992237" "6006164"  "6078874" "6202491" "6208944"  "6499349").PN.	USPAT	OR	ON	2006/03/02 18:13
S38	15	S37 and (measur\$6 with point ) and (process\$3 with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 18:13
S39	3	S38 and (analys\$3 with condition with machine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 18:13
S40	1	S39 and (rotat\$3 with shaft)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 19:07
S41	49	("3848112" "3913084" "4121574"  "4280185" "4408285" "4426641"  "4520674" "4530240" "4550311"  "4559828" "4612620" "4615216"  "4621263" "4669315" "4721849"  "4768380" "4800512" "4827771"  "4885707" "5162725" "5191327"  "5206818" "5251151" "5257208"  "5319962" "5335186" "5377128"  "5379643" "5430663" "5479359"  "5501105" "5511422" "5515266"  "5517183" "5530343" "5533413"  "5544073" "5555457" "5579241"  "5808903" "5992237" "6006164"  "6078874" "6202491" "6208944"  "6499349").PN.	USPAT	OR	ON	2006/03/02 19:02

S42	15	S41 and (measur\$6 with point ) and (process\$3 with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 19:23
S43	3	S42 and (analys\$3 with condition with machine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 19:06
S44	40	(analys\$3 with condition with machine) and (measur\$6 with point) and (process\$3 with data) and shaft	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 19:33
S45	38	S44 and rotat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 19:06
S46	23	S44 and (rotat\$3 with shaft)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 19:07

	<del></del>	1	<del></del>	T	T	
S47	49	("3848112"   "3913084"   "4121574"   "4280185"   "4408285"   "4426641"   "4520674"   "4530240"   "4550311"   "4559828"   "4612620"   "4615216"   "4621263"   "4669315"   "4721849"   "4768380"   "4800512"   "4827771"   "4885707"   "5162725"   "5191327"   "5206818"   "5251151"   "5257208"   "5319962"   "5335186"   "5377128"   "5379643"   "5430663"   "5479359"   "551105"   "5511422"   "5515266"   "5517183"   "5530343"   "5533413"   "5544073"   "5555457"   "5586305"   "5663811"   "5808903"   "5992237"   "6006164"   "6078874"   "6202491"   "6208944"   "6499349").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/02 19:08
S48	2	S41 and (measur\$6 with point ) and register and (monitor\$3 with function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 19:28
S49	7	S41 and (sensor with measur\$6 with point ) and (process\$3 with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 19:36
S50	1	S41 and (measur\$6 with point ) and (register with condition) and (monitor\$3 with function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 19:29
S51	22	(analys\$3 with condition with machine) and (measur\$6 with point) and (process\$3 with data) and (measur\$6 with data) and (rotat\$3 with shaft)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 19:40

S52	15	S51 and (sensor with measur\$6	US-PGPUB;	OR	ON	2006/03/02 19:36
		with point )	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
S53	19	(analys\$3 with condition with machine) and (sensor with measur\$6 with point) and (rotat\$3 with shaft)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 19:40
S54	67	(analys\$3 with machine) and (sensor with measur\$6 with point ) and (rotat\$3 with shaft)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 16:41
S55	40	S54 and (condition with machine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 19:40
S56	31	S55 and (process\$3 with data) and (measur\$6 with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 19:41
S57	22	(analys\$3 with condition with machine) same (rotat\$3 with shaft)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 17:53
S58	7	("4520674"   "4800512"   "5319962"   "5992237"   "6006164"   "6078874"   "6202491").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/03 17:23
S59	6	S58 and (measur\$6 with point )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 17:38

S60	5	S59 and (rotat\$3 with shaft)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 17:25
S61	5	S60 and sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 17:25
S62	5	S61 and (data with process\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 17:25
S63	5	S62 and function and monitor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 17:26
S64	10	SS7 and (measur\$6 with point )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 17:38
S65	82	analys\$3 and (condition with machine) and (rotat\$3 with shaft) and (sensor with measur\$6 with point) and (data with process\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/09 14:03
S66	13	S65 and (condition with monitor\$3 with function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2006/03/03 17:57
S67	17	S65 and (monitor\$3 with function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 18:07

<u></u>	·	<u> </u>	<del></del>	r	I	· · · · · · · · · · · · · · · · · · ·
S68	2	"5726911".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 18:07
S69	0	S68 and (condition with machine) and (rotat\$3 with shaft) and sensor and ( measur\$6 with point) and (data with process\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 18:08
S70	11	(rotat\$3 with shaft) and (sensor with measur\$6 with point with machine) and (data with process\$3) and (condition with monitor\$3 with function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 18:46
S71	2	"6324487".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 18:48
S72	2	"6078874".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 18:49
S73	18	("20020147693" "20030110380" " 4518855" "5956658" "6499349" " 6516304" "6557752" "6725723" " 6892063").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 18:50
S74	16	(rotat\$3 with shaft) and (sens\$3 with measur\$6 with point with machine) and (process\$3 with condition with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 18:56
S75	10	S74 and (function with condition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 18:56

				γ		
S76	10	S74 and (monitor\$3 with function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/03 18:56
S77	25	("3162804"   "3771362"   "3831008"   "3848112"   "3900814"   "4000465"   "4018083"   "4031466"   "4056850"   "4121574"   "4196390"   "4283679"   "4345146"   "4392375"   "4471444"   "4480471"   "4520674"   "4529933"   "4530240"   "4612620"   "4615216"   "4642459"   "4669315"   "4683542").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/03 19:44
S78	3	S77 and vibration and temperature	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/03 19:48
S79	2	S78 and convert\$3	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/03 19:45
S80	3	S73 and vibration and temperature	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/03 19:48
S81	57	(analys\$3 with machine) and (sensor with measur\$6 with point ) and vibration and temperature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/09 18:15
S82	27	S81 and (rotat\$3 with shaft)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 17:30
S83		S82 and (memory with program with function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 17:30

S84	14	S82 and (program with function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 17:16
S85	7	S84 and (monitor\$3 with function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 17:16
S86	97	(condition with machine) and (sensor with measur\$6 with point ) and vibration and temperature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/03/04 17:29
S87	44	S86 and (rotat\$3 with shaft)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/04 17:30
S88	12	S87 and (memory with program with function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ÓИ	2006/03/09 16:17
S89	1	(("3848112" "3913084" "4121574 " "4280185" "4408285" "4426641 " "4520674" "4530240" "4550311 " "4559828" "4612620" "4615216 " "4621263" "4669315" "4721849 " "4768380" "4800512" "4827771 " "4885707" "5162725" "5191327 " "5206818" "5251151" "5257208 " "5319962" "5335186" "5377128 " "5379643" "5430663" "5479359 " "5501105" "5511422" "5515266 " "5517183" "5530343" "5533413 " "5544073" "555457" "5579241 " "5584796" "5586305" "5663811 " "5808903" "5992237" "6006164 " "6078874" "6202491" "6208944 " "6499349").PN.) and (analys\$3 with condition with machine) and vibration and temperature and (memory with program with function)	USPAT	OR	ON	2006/03/04 17:34

S90	7	analys\$3 and (condition with machine) and ((condition with monitoring with function) same (disabled with state))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/09 14:07
S91	8	analys\$3 and (condition with machine) and ((condition with monitoring with function) same disabled)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/09 15:26
S92	6	(analys\$3 with condition with machine) and ((condition with monitoring with function) same disable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/03/09 15:27
S93	23	(analys\$3 with system) and ((condition with monitoring with function) same disable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/09 15:43
S94	6	S93 and (rotat\$3 with shaft)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/09 15:33
S95	15	(analys\$3 with system) and ((key near2 reception) same (data with process\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/09 15:46
S96	6	S95 and (condition with monitoring with function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/09 15:43
S97	0	"5544073".pn. and (key near2 reception)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/09 15:46

S98	1	"EE44073" pp. and key	LIC DCDUD:	OR	001	2006/03/00 45:45
230		"5544073".pn. and key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OK	ON	2006/03/09 15:47
S99	2	"4800512".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/09 16:17
S10 0	8	(analys\$3 with machine) and (sensor with measur\$6 with point ) and (data processing) same (Field with Programmable with Gate with Array with circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/09 17:03
S10 1	14	(analys\$3 with machine) and (measur\$6 with point ) and (data processing) same (Field with Programmable with Gate with Array with circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/09 17:05
S10 2	47	(analys\$3 with machine) and (data processing) same (Field with Programmable with Gate with Array with circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/09 17:07
S10 3	585	(analys\$3 with system) and (data processing) same (Field with Programmable with Gate with Array with circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/09 17:08
S10 4	12	(machine with condition) and (measur\$6 with point) and (data processing) same (Field with Programmable with Gate with Array with circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/09 17:10
\$10 5	72	(machine with condition) and (data processing) same (Field with Programmable with Gate with Array with circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/09 17:10